

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S16	74494	("400").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/01/11 12:53
S17	1106671	lever latch	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 12:53
S18	2201228	angle	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 12:53
S19	1873728	printhead print\$1head (printhead) head inkjet ink\$1jet (ink adj jet)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 12:53
S20	64610	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/01/11 12:53
S21	134822	S16 or S20	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 12:53
S22	331389	press\$4 near2 (member portion)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 12:54
S23	1213	S17 and S18 and S19 and S21 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 12:54
S25	9175421	electr\$4 power connect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 12:54
S26	1196	S23 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 12:54
S27	2831551	guide shaft	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 13:15
S28	1123	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 13:16

S29	74943	((plate leaf) near2 spring) and metal	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 12:55
S30	236	S28 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 12:55
S31	46	S30 and (metal near2 sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 12:55
S32	513418	lever same (press\$4 spring)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 13:09
S33	40	S31 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 13:15
S34	139924	guide near2 (shaft rail)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 13:16
S35	25	S26 and S34 and S29 and S31 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 14:15
S37	2541588	force	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 14:15
S38	25	S35 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 14:15
S39	1212279	bent bend bending	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 14:16
S40	21	S38 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 14:22
S41	84927	metal same lever	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 14:22

S42	3	S40 and S41	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 14:28
S43	523	force and lever and spring and S19 and S21 and S22 and S25 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 14:32
S44	523	S43 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 15:23
S45	4	((("20020180823") or ("5867188") or ("20040246284") or ("6834947"))). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/01/11 14:35
S46	3	S44 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 14:35
S47	575705	stopping stopper	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 15:23
S48	340	S44 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 15:24
S66	154478	metal with (elasticity elastic flexible deflect\$3 flexibility)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/12 16:56
S67	134878	((("347") or ("400"))).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/01/12 13:55
S68	58857	(printhead head print\$1head chip (print adj head) inkjet ink\$1head (ink adj jet)) same (latch lever) same (press\$3 pressur\$3) and force	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/12 16:55
S69	63	S66 and S67 and S68	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/12 16:14
S77	30682	((sheet plate spring) near2 metal) with (elasticity elastic flexible deflect\$3 flexibility)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/12 16:56

S78	29	S77 and S67 and S68	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/12 16:40
S79	405400	lever same spring	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/12 16:56
S80	21	S78 and S79	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/12 16:56
S81	1355	(pressing near2 (block portion)) with lever	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/13 16:42
S82	134878	((("347") or ("400")).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/01/13 16:16
S83	1435179	angle and direction	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/13 16:17
S84	250111	(wire leaf plate) near2 spring	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/13 16:17
S85	955	((wire leaf plate) near2 spring) same (pressing near2 (portion block))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/13 16:18
S86	8	S81 and S82 and S83 and S84 and S85	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/13 16:18
S87	1355	(pressing near2 (blocks portions)) with lever	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/13 16:42
S88	97	S82 and S87	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/13 16:42
S89	49	S84 and S88	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/13 16:43

S90	889403	(engag\$3 press\$3) near2 (member portion)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 10:59
S91	134909	((("347") or ("400")).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/01/18 10:59
S92	11675	S90 and S91	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 10:59
S93	54346	((engag\$3 press\$3) near2 (member portion)) with lever	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 11:00
S94	1657	S91 and S93	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 11:00
S95	139912	((engag\$3 press\$3) near2 (member portion)) with spring	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 11:00
S96	765	S94 and S95	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 11:01
S97	240359	carriage ((head printhead (print adj head) print\$1head inkjet jet) adj hold\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 11:03
S98	517	S96 and S97	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 11:07
S99	6406687	connect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 11:07
S10 0	889403	(engag\$3 press\$3) near2 (member portion)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 12:38
S10 1	134909	((("347") or ("400")).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/01/18 12:38

S10 2	11675	S100 and S101	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 12:38
S10 3	54346	((engag\$3 press\$3) near2 (member portion)) with lever	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 13:51
S10 4	1657	S101 and S103	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 12:39
S10 5	139912	((engag\$3 press\$3) near2 (member portion)) with spring	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 13:51
S10 6	765	S104 and S105	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 12:39
S10 7	240359	carriage ((head printhead (print adj head) print\$1head inkjet jet) adj hold\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 12:39
S10 8	517	S106 and S107	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 12:39
S10 9	6406687	connect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 12:39
S11 0	504	S108 and S109	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 12:41
S11 1	2	((("5867188") or ("20040246284")). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/01/18 12:46
S11 2	187706	stopper	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 12:46
S11 3	127	S110 and S112	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 12:46

S11 4	16965	((engag\$3 press\$3) near2 (member portion)) with stopp\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 13:19
S11 5	63	S110 and S114	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 12:53
S11 6	5838	((press\$3) near2 (member portion)) with stopp\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 13:51
S11 7	12923	((press\$3) near2 (member portion)) with lever	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 13:51
S11 8	50904	((press\$3) near2 (member portion)) with spring	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 13:51
S11 9	15	S101 and S107 and S116 and S117 and S118	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/18 13:52